EXHIBIT C

Subject: Bright Response, LLC v. Yahoo: Source Code Printout

Date: November 5, 2009 7:09:07 PM PST

To: Jason White <whitej@howrey.com>

Cc: Michael Jones <mikejones@potterminton.com>,
johnbufe@potterminton.com, David Pridham <David@pridhamiplaw.com>,
Andrew Spangler <spangler@spanglerlawpc.com>, Marc Fenster
<mfenster@raklaw.com>, Stan Thompson <sthompson@raklaw.com>, John
Bustamante <jmb@bustamantelegal.com>, Debera Hepburn
<dhepburn@heplaw.com>, Andrew Weiss <aweiss@raklaw.com>

▶ 1 Attachment, 12.3 KB

Jason:
Attached are the files Bright Response would like printed from the source code computer.

11:5:09 Yah....txt (12.3 KB)
Thank you,
Andrew

On Oct 23, 2009, at 7:59 AM, Debera Hepburn wrote:

> Counsel,
>
> Please find the attached correspondence.
>
> Best Regards,
>
> **Debera W. Hepburn**
> Hepburn Law Firm PLLC
> P.O. Box 118218
> Carrollton, Texas 75011
> Tel: (214) 403-4882
> Fax: (888) 205-8791
> *dhepburn@heplaw.com*
>
> PRIVILEGED AND CONFIDENTIAL * ATTORNEY-CLIENT COMMUNICATION *
> ATTORNEY WORK PRODUCT

<Hepburn Letter re Yahoo Stipulation Bright Response 102309.pdf>

--
Andrew D. Weiss
Russ August & Kabat
12424 Wilshire Boulevard, 12th Floor
Los Angeles, CA 90025
310 826-7474
aweiss@raklaw.com

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/Broker.hh   definition 24

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/Broker.hh   creator definition 78 - 87

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/Broker.cc
KFEBroker::handleWsQuery   390 - 413

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.hh
Abbreviations 10 - 21

YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::processRequest   458 - 716
YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::handleUPSResponse   718 - 738
YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::handleParallelResponses   842 - 946
YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::handleRISeResponseWrapper 1044 - 1075
YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::handleRISeResponse   948 - 994
YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::handleOSBFAResponseWrapper 1319 - 1350
YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::handleOSBFAResponse   1078 - 1205
YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::handleOSDAResponse   1352 - 1533
YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::deliverDefaultCreative   1639 - 1692
YSM/Ad Selection Code/Keystone Front End/kfe_be/src/AdRequestContext.cpp
AdRequestContext::sendResponse   1536 - 1637

YSM/Ad Selection Code/Keystone Front End/kfe_be_client/src/
kfe_be_clientlib.cc RequestData::deserialize 80 - 143

YSM/Ad Selection Code/Keystone Front End/kfe_feed/FeedClientInitiated.hh
53 - 84

YSM/Ad Selection Code/Keystone Front End/kfe_feed/src/FeedBase.cpp
FeedBase::processQueryArgs()

YSM/Ad Selection Code/Keystone Front End/kfe_feed/FeedHandler.cpp
FeedHandler::processQueryArgs 101 - 251

YSM/Ad Selection Code/Keystone Front End/kfe_ws/src/mod_kfe_ws.cpp
kfe_ws_handler 208 - 417

YSM/Ad Selection Code/Keystone Front End/kfe_ws/src/mod_kfe_ws.cpp
sendResponse   82 - 102

YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
sComputeQualityScore 247 - 251
YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
sComputeRevenue   254 - 384
YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
sThrottle   386 - 427
YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp sDedupe
429 - 518
YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
sApplyMinimumScores   521 - 662
YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
sMatchWithDaResponse 666 - 705
YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp sShuffle
708 - 724
YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
sUpdateUFBlob   726 - 796
YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
sCreativeFatigue   897 - 967
YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
sComputeCost   971 - 1015
YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
ManageYieldAfterBFA   1290 - 1382
YSM/Ad Selection Code/Keystone Front End/kfe_ym/src/kfe_ymlib.cpp
ManageYieldAfterDA   1384 - 1497

YSM/Ad Selection Code/Keystone Rise/tools/traininScorer.cpp main
9 - 41

YSM/Ad Selection Code/Keystone Rise/lib/MultiScorer.cpp scoreCurrentAd()
483 - 502

YSM/Ad Selection Code/Keystone Rise/lib/BambooScorer.cpp
BambooScorer::scoreCurrentAd()   6 - 39
YSM/Ad Selection Code/Keystone Rise/lib/BambooScorer.h   idf()
30 - 33
YSM/Ad Selection Code/Keystone Rise/lib/CombinedScorer.cpp
CombinedScorer::scoreCurrentAd()   152 - 240
YSM/Ad Selection Code/Keystone Rise/lib/CombinedScorer.cpp
buildBidScoreLookupTable()   264 - 280
YSM/Ad Selection Code/Keystone Rise/lib/CombinedScorer.cpp   calcMaxScore()
126 - 150
YSM/Ad Selection Code/Keystone Rise/lib/CombinedScorer.h
CombinedScorer::accumulateUpperBound() 396 - 442

YSM/Ad Selection Code/Keystone Rise/lib/CombinedScorer.h
CombinedScorer::getQualityScore()   445 - 465
YSM/Ad Selection Code/Keystone Rise/lib/CombinedScorer.h
CombinedScorer::getBidScore()   468 - 483
YSM/Ad Selection Code/Keystone Rise/lib/CombinedScorer.h
getStaticScore()   486 - 507
YSM/Ad Selection Code/Keystone Rise/lib/CombinedScorer.h   scoreAdQuery()
83 - 100
YSM/Ad Selection Code/Keystone Rise/lib/CombinedScorer.h
posnAndScoreAd()   60 - 81
YSM/Ad Selection Code/Keystone Rise/lib/FastCombinedScorer.h
scoreCurrentAd()   38 - 110
YSM/Ad Selection Code/Keystone Rise/lib/FastCombinedScorer.h calcMaxScore()
28 - 36
YSM/Ad Selection Code/Keystone Rise/lib/FastMaxEntScorer.cpp
FastMaxEntScorer::scoreCurrentAd()   27 - 43
YSM/Ad Selection Code/Keystone Rise/lib/FastMultiScorer.h
FastMultiScorer::scoreCurrentAd()   39 - 49
YSM/Ad Selection Code/Keystone Rise/lib/MaxEntScorer.cpp
MaxEntScorer::scoreCurrentAd()   92 - 110
YSM/Ad Selection Code/Keystone Rise/lib/MaxEntScorer.cpp   calcMaxScore()
79 - 90
YSM/Ad Selection Code/Keystone Rise/lib/MaxEntScorer.cpp
buildMaxEndUpperBoundTable() 563 - 577 & 580 - 591
YSM/Ad Selection Code/Keystone Rise/lib/MaxEntScorer.cpp
MaxEntScorer::scoreCurrentAdRaw()   113 - 168
YSM/Ad Selection Code/Keystone Rise/lib/MaxEntScorer.cpp
posnAndScoreAd()   171 - 194
YSM/Ad Selection Code/Keystone Rise/lib/MaxEntScorer.cpp
MaxEntScorer::scoreAdQuery()   197 - 286
YSM/Ad Selection Code/Keystone Rise/lib/MaxEntScorer.cpp   expandQuery()
296 - 382
YSM/Ad Selection Code/Keystone Rise/lib/MaxEntScorer.cpp   augmentQuery()
384 - 561
YSM/Ad Selection Code/Keystone Rise/lib/MaxEntScorer.h
mapWeightToProbability()   123 - 136
YSM/Ad Selection Code/Keystone Rise/lib/MultiScorer.cpp
MultiScorer::posnAndScoreAd()   59 - 83
YSM/Ad Selection Code/Keystone Rise/lib/MultiScorer.cpp
MultiScorer::scoreAdQuery()   85 - 199
YSM/Ad Selection Code/Keystone Rise/lib/MultiScorer.h
MultiScorer::scoreCurrentAdRaw()   330 - 481
YSM/Ad Selection Code/Keystone Rise/lib/MultiScorer.h
MultiScorer:scoreCurrentAd()   483 - 502 -
YSM/Ad Selection Code/Keystone Rise/lib/MultiScorer.h   normalizeScore
161 - 168

YSM/Ad Selection Code/Keystone Rise/lib/MultiScorer.h
MultiScorer::calcRawMaxScore   298 - 328
YSM/Ad Selection Code/Keystone Rise/lib/Scorer.cpp
Scorer::posnAndScoreAd()   18 - 44
YSM/Ad Selection Code/Keystone Rise/lib/Scorer.cpp
Scorer::scoreAdQuery()   64 - 126
YSM/Ad Selection Code/Keystone Rise/lib/Scorer.h
Scorer::scoreCurrentAd()   88 - 123
YSM/Ad Selection Code/Keystone Rise/lib/WANDIterator.h
getNextAdCandidate()   410 - 540

YSM/Ad Selection Code/Domain Blocking/TopLinkSearch.pm

YSM/Ad Selection Code/Keystone Rise/lib/QueryEvaluatorImplBase.h
QueryEvaluatorImplBase::inputQuery() 464 - 508

YSM/Ad Selection Code/Keystone Rise/lib/QueryEvaluator.cpp
QueryEvaluator::createInstance 26 ñ 145

YSM/Ad Selection Code/Domain Blocking/RevenueReorder.pm   lookupStat   42 ñ
93
YSM/Ad Selection Code/Domain Blocking/RevenueReorder.pm   relativeNorm 95 -
116
YSM/Ad Selection Code/Domain Blocking/RevenueReorder.pm   getScores   118
- 208
YSM/Ad Selection Code/Domain Blocking/RevenueReorder.pm   re_order   210
- 270

YSM/Ad Selection Code/Keystone Front End/kfe_be-src/UPSBrokerHandler.cpp
UPSBrokerHandler::apply   113 ñ 139
YSM/Ad Selection Code/Keystone Front End/kfe_be-src/UPSBrokerHandler.cpp
UPSBrokerHandler::upsToFb 261 - 288

YST/runtime/secore/idpd/server/impl/main.c   startupThread   581 - 987

YST/runtime/secore/idpd/idpse/impl/idp.c idp_acceptor   223 - 245
YST/runtime/secore/idpd/idpse/impl/idp.c idp_exec   461 - 567
YST/runtime/secore/idpd/idpse/impl/idp.c startIdpv4Service   468 - 565

YST/runtime/secore/idpd/idpse/impl/idpv4.cc messageReceiver 524 - 593

YST/runtime/secore/idpd/idpse/impl/idpbasics.c IdpExecCommandSend 205 - 266

YST/runtime/secore/idpd/idpse/impl/idpsearch.c IdpSearchCommandSendV4
2381 ñ 243
YST/runtime/secore/idpd/idpse/impl/idpsearch.c IdpSearchCommandSend

2505 - 2602
YST/runtime/secore/idpd/idpse/impl/idpsearch.c IdsSearchCommandComplete
2605 ñ 2677

YST/runtime/secore/libs/parser/api/queryparse.h
279 ñ 287

YST/runtime/secore/libs/parser/impl/simpleqparse.y
343 ñ 406

YST/runtime/secore/libs/searchengine/impl/seqApi.cc SeqQobjStart 713 ñ 739

YST/runtime/secore/libs/searchengine/impl/seqSubsystem.c
InjectIntoSubsystem   122 ñ 142
YST/runtime/secore/libs/searchengine/impl/seqSubsystem.c processRequest
236 ñ 298

YST/runtime/secore/libs/searchengine/impl/sections.cc
buildIndexLookupTables 367 - 529

YST/runtime/secore/libs/searchengine/impl/inkse.c
InkSeLoadWordInfoDoDegrade   2196 - 2165
YST/runtime/secore/libs/searchengine/impl/inkse.c process_query_local
2205 ñ 2270
YST/runtime/secore/libs/searchengine/impl/inkse.c master_gather_sort_docids
2314 - 2461
YST/runtime/secore/libs/searchengine/impl/inkse.c proc_inktomi_query_master
2463 - 2689
YST/runtime/secore/libs/searchengine/impl/inkse.c
proc_inktomi_query_internal 2691 - 2801
YST/runtime/secore/libs/searchengine/impl/inkse.c proc_inktomi_query
2803 - 2852
YST/runtime/secore/libs/searchengine/impl/inkse.c executeSearchQuery
3665 - 3732
YST/runtime/secore/libs/searchengine/impl/inkse.c createQuery
3732 - 3771
YST/runtime/secore/libs/searchengine/impl/inkse.c parseQueryHelper
3774 ñ 3823
YST/runtime/secore/libs/searchengine/impl/inkse.c prepareQuery
3826 ñ 3912
YST/runtime/secore/libs/searchengine/impl/inkse.c proc_tree9_query
3916 ñ 4200

YST/runtime/secore/libs/searchengine/impl/proxy.c createCanonicalQuery
188 ñ 224
YST/runtime/secore/libs/searchengine/impl/proxy.c proxy_query

227 ñ 340

YST/runtime/secore/libs/searchengine/seqed/impl/YstScore.cc
YstScore::ScoreProximity()   146 ñ 374
YST/runtime/secore/libs/searchengine/seqed/impl/YstScore.cc
YstScore::ScoreSections()   376 ñ 552
YST/runtime/secore/libs/searchengine/seqed/impl/YstScore.cc
YstScore::GetDocumentScore() 860 - 919

YST/runtime/secore/libs/searchengine/seqed/impl/YSTScoreSection.hh Scan()
71 - 78

YST/runtime/secore/libs/searchengine/seqed/impl/YSTScoreText.cc Scan()52 -
277
YST/runtime/secore/libs/searchengine/seqed/impl/YSTScoreText.cc
Summerize()279 - 397

YST/runtime/secore/libs/searchengine/seqed/impl/YstScoreText.hh
SummarizeProximityWindows() 78 - 120

YST/runtime/secore/libs/searchengine/seqed/impl/YSTScoreSegment.cc
Summerize() 107 - 137

YST/runtime/secore/libs/searchengine/seqed/impl/YstScoreSections.hh
SummarizeProximityWindows() 154 - 196

YST/runtime/secore/proxy/modules/facet_selector/impl/facet_selector.cc
normalizeRawscore() 922 ñ 928
YST/runtime/secore/proxy/modules/facet_selector/impl/facet_selector.cc
getMeanData() 930 ñ 934
YST/runtime/secore/proxy/modules/facet_selector/impl/facet_selector.cc
hasInterestingInfo() 154 ñ 159
YST/runtime/secore/proxy/modules/facet_selector/impl/facet_selector.cc
FacetInfo::calculateScore() 875 - 896
YST/runtime/secore/proxy/modules/facet_selector/impl/facet_selector.cc
FacetInfo::FacetInfo() ñ creator ñ 859 ñ 873
YST/runtime/secore/proxy/modules/facet_selector/impl/facet_selector.cc
FacetSelectorHandler::handleResponse() 1176 - 1235
YST/runtime/secore/proxy/modules/facet_selector/impl/facet_selector.cc
FacetSelectorHandler::selectFacets() 1238 ñ 1323
YST/runtime/secore/proxy/modules/facet_selector/impl/facet_selector.cc
FacetSelectorHandler::handleRequest()1029 ñ 1100